



environmental affairs

Department:
Environmental Affairs
REPUBLIC OF SOUTH AFRICA

Private Bag X 447· PRETORIA 0001· Environment House 473 Steve Biko Road, Arcadia PRETORIA

DEA Reference: 14/12/16/3/3/1/1896

Enquiries: Constance Musemburi

Telephone: 012-399-9416 E-mail: cmusemburi@environment.gov.za

Mr Dietmar Niebuhr
Department of Water and Sanitation
Private Bag X313
PRETORIA
0001

Tel: (012) 336 6571
Cell: (083) 306 7462
E-mail: Niebuhr@dws.gov.za

PER E-MAIL / MAIL

Dear Mr Niebuhr

ENVIRONMENTAL AUTHORISATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998 (ACT NO. 107 OF 1998), AS AMENDED (NEMA); GOVERNMENT NOTICES. R982, R983, R984 AND R985, AS AMENDED: PROPOSED REHABILITATION OF THE JERICHO PUMP STATION AND ASSOCIATED INFRASTRUCTURE, MPUMALANGA PROVINCE.

With reference to the above application, please be advised that the Department has decided to grant an environmental authorisation to you. The Environmental Authorisation (EA) and reasons for the decision are attached herewith.

In terms of Regulation 4(2) of the National Environmental Management Act: the Environmental Impact Assessment Regulations, 2014, as amended (the EIA Regulations), you are instructed to notify all registered interested and affected parties, in writing within 14 (fourteen) days of the date of this EA, of the Department's decision as well as the provisions regarding the submission of appeals that are contained in the Regulations.

In terms of the Promotion of Administrative Justice Act, 2000 (Act No 3 of 2000), you are entitled to the right to fair, lawful and reasonable administrative action; and to written reasons for administrative action that affects you negatively. Further your attention is drawn to the provisions of the Protection of Personal Information Act, 2013 (Act no. 4 of 2013) which stipulates that the Department should conduct itself in a responsible manner when collecting, processing, storing and sharing an individual or another entity's personal information by holding the Department accountable should the Department abuses or compromises your personal information in any way.

Your attention is drawn to Chapter 2 of National Environmental Management Act, 1998 (Act No. 107 of 1998) National Appeal Regulations published under Government Notice R993 in Government Gazette No. 38303 dated 08 December 2014 (National Appeal Regulations, 2014), which prescribe the appeal procedure to be followed.

MS

Should any person who wish to lodge an appeal against this decision, he/she must submit the appeal to the appeal administrator, and a copy of the appeal to the applicant, any registered interested and affected party, and any organ of state with interest in the matter within 20 days from the date that the notification of the decision was sent to the registered interested and affected parties by the applicant; or the date that the notification of the decision was sent to the applicant by the Department, whichever is applicable.

Appeals must be submitted in writing in the prescribed form to:

Director: Appeals and Legal Review of this Department at the below mentioned addresses.

By email: appealsdirector@environment.gov.za


By hand: Environment House
473 Steve Biko Road
Arcadia
Pretoria or

By post: Private Bag X447
Pretoria
0001

Please note that in terms of Section 43(7) of the NEMA, the lodging of an appeal will suspend the environmental authorisation or any provision or condition attached thereto. In the instance where an appeal is lodged, you may not commence with any activity authorised in the EA until such time that the appeal is finalised.

To obtain the prescribed appeal form and for guidance on the submission of appeals, please visit the Department's website at https://www.environment.gov.za/documents/forms#legal_authorisations or request a copy of the documents at appealsdirector@environment.gov.za.

Yours faithfully



Mr Sabelo Malaza
Chief Director: Integrated Environmental Authorisations
Department of Environmental Affairs

Date: 14/02/2018

CC:	Ms. M Muller	Hatch Africa (Pty) Ltd	Tel: 011 239 5977	Email: Margaret.Muller@hatch.com
	Mr. S. Marebane	Department of Agriculture, Rural Development, Land & Environmental Affairs	Tel: 017 811 3840	Email: STMarebane@mpg.gov.za



environmental affairs

Department:
Environmental Affairs
REPUBLIC OF SOUTH AFRICA

Environmental Authorisation

In terms of Regulation 25 of the Environmental Impact Assessment Regulations 2014, as amended

PROPOSED REHABILITATION OF THE JERICHO PUMP STATION AND ASSOCIATED INFRASTRUCTURE, MPUMALANGA PROVINCE.

Gert Sibande District Municipality.

Authorisation register number:	<i>14/12/16/3/3/1/1896</i>
Last amended:	<i>First issue</i>
Holder of authorisation:	<i>DEPARTMENT OF WATER AND SANITATION</i>
Location of activity:	<i>MPUMALANGA PROVINCE: Within Ward 18, Portion 1 Farm Jericho 304 of Msukaligwa Local Municipality</i>

This environmental authorisation does not negate the holder of the authorisation's responsibility to comply with any other statutory requirements that may be applicable to the undertaking of the activity.

M.S

Decision

The Department is satisfied, on the basis of information available to it and subject to compliance with the conditions of this environmental authorisation, that the applicant should be authorised to undertake the activities specified below.

Non-compliance with a condition of this environmental authorisation may result in criminal prosecution or other actions provided for in the National Environmental Management Act, 1998 and the EIA regulations.

Details regarding the basis on which the Department reached this decision are set out in Annexure 1.

Activities authorised

By virtue of the powers conferred on it by the National Environmental Management Act, 1998 (Act No.107 of 1998) and the Environmental Impact Assessment Regulations, 2014 the Department hereby authorises –

DEPARTMENT OF WATER AND SANITATION

(hereafter referred to as the **holder of the authorisation**)

with the following contact details –

Mr Dietmar Niebuhr
Department of Water and Sanitation
Private Bag X313
PRETORIA
0001

Tel: (012) 336 6571

Cell: (083) 306 7462

E-mail: Niebuhr@dws.gov.za

to undertake the following activity (hereafter referred to as "the activity") indicated in Listing Notice 1 (GN R. 983), as amended:

Listed activities	Activity/Project description
<p><u>GN R. 983 Item 63:</u></p> <p><i>The expansion of facilities or infrastructure for the transfer of water from and to or between any combination of the following—</i></p> <p><i>(iii) impoundments;</i></p> <p><i>where the capacity will be increased by 50 000 cubic metres or more per day, but excluding water treatment works where water is treated for drinking purposes.</i></p>	<p>Water will be pumped at a rate of 3.3 m³/s from Jericho Dam (impoundment 1) by the Jericho Pump Station via the Kliphoek Booster Pump Station to the Onverwacht reservoir (impoundment 2). The average daily flow is currently 169,814m³/day from historical records and the new pump station will have a similar average daily flow rate, which is more than 50000m³/day. The pump station will be designed to have a maximum pumping capacity of 3.3m³/s in a day which equates to 285,120m³/day, however this is the current capacity and therefore the capacity will not be increased, it will remain the same.</p>

as described in the Basic Assessment Report (BAR) dated 07 May 2018 at:

21 Digit Surveyor General's Number: T10IT0000000030400001

Jericho Pump Station	Latitude	Longitude
Point A	26°39'24.2821"S	30°29'03.1835"E
Point B	26°39'23.9323"S	30°29'02.5656"E
Point C	26°39'22.3366"S	30°28'03.6889"E
Point D	26°39'22.6863"S	30°28'04.3068"E

- for the proposed rehabilitation of the existing Jericho Pump Station and associated infrastructure, within Ward 18 of the Msukaligwa Local Municipality in the Mpumalanga Province, hereafter referred to as "the property".

The project entails the following infrastructure:

The proposed development entails the construction of a new pump station which will be located adjacent to the existing pump station. A new access road will be developed and will tie in with the existing road. The new road will provide access to the Medium Voltage (MV) and Low Voltage (LV) Room for the installation and removal of electrical equipment as well as the Loading Bay area to allow for installation and removal of equipment. The new pump station structure will consist of a concrete wall of 5m above finished ground level (FGL). A tie-in chamber will be constructed on the existing suction pipework of the Jericho Pump Station. The tie in chamber will consist of two butterfly valves in order to ensure that flow can be isolated to either the proposed new pump station or existing Jericho Pump Station. Suction pipework will be installed to transfer water from the tie-in chamber to the pumps. There will be six pumps, four on duty and two on standby. There are two discharge pipelines which will tie in with the existing rising mains which transfer water to the Onverwacht Reservoirs via the Kliphoek Booster Pump Station. The new pump station will be designed to match the current flow rate of the existing pump station. Various infrastructure within the existing pump station will be removed. Important infrastructure such as the existing suction pipework will remain and tie-in with the new pump station. The infrastructure to be removed will only be removed once post-commissioning issues have been resolved on the new pump station. Various mechanical and electrical equipment in the existing pump station will be removed. The existing pump station will be used as a storage facility. The technical details for the various components which will form part of the new pump station as set out in the final layout are described on page 9 to 13 of the FBAR dated 07 May 2018.

Conditions of this Environmental Authorisation

Scope of authorisation

1. Alternative 1 (preferred alternative) for the proposed rehabilitation of the existing Jericho Pump Station and associated infrastructure, within Ward 18 of the Msukaligwa Local Municipality in the Mpumalanga Province is approved as per the geographic coordinates cited at the table reflected in page 3 above.
2. Authorisation of the activity is subject to the conditions contained in this environmental authorisation, which form part of the environmental authorisation and are binding on the holder of the authorisation.
3. The holder of the authorisation is responsible for ensuring compliance with the conditions contained in this environmental authorisation. This includes any person acting on the holder's behalf, including

but not limited to, an agent, servant, contractor, sub-contractor, employee, consultant or person rendering a service to the holder of the authorisation.

4. The activities authorised must only be carried out at the property as described above.
5. Any changes to, or deviations from, the project description set out in this environmental authorisation must be approved, in writing, by the Department before such changes or deviations may be effected. In assessing whether to grant such approval or not, the Department may request such information as it deems necessary to evaluate the significance and impacts of such changes or deviations and it may be necessary for the holder of the authorisation to apply for further environmental authorisation in terms of the regulations.
6. The holder of an environmental authorisation must apply for an amendment of the environmental authorisation with the competent authority for any alienation, transfer or change of ownership rights in the property on which the activity is to take place.
7. This activity must commence within a period of five (5) years from the date of issue of this environmental authorisation. If commencement of the activity does not occur within that period, the authorisation lapses and a new application for environmental authorisation must be made in order for the activity to be undertaken.
8. Commencement with one activity listed in terms of this environmental authorisation constitutes commencement of all authorised activities.

Notification of authorisation and right to appeal

9. The holder of the authorisation must notify every registered interested and affected party, in writing and within 14 (fourteen) calendar days of the date of this environmental authorisation, of the decision to authorise the activity.
10. The notification referred to must –
 - 10.1. specify the date on which the authorisation was issued;
 - 10.2. inform the interested and affected party of the appeal procedure provided for in the National Appeal Regulations, 2014;
 - 10.3. advise the interested and affected party that a copy of the authorisation will be furnished on request; and
 - 10.4. give the reasons of the competent authority for the decision.

Commencement of the activity

11. The authorised activity must not commence until the period for the submission of appeals has lapsed as per the National Appeal Regulations, 2014 and no appeal has been lodged against the decision. In terms of section 43(7), an appeal under section 43 of the National Environmental Management Act, 1998 will suspend the environmental authorisation or any provision or condition attached thereto. In the instance where an appeal is lodged you may not commence with the activity until such time that the appeal has been finalised.

Management of the activity

12. The Environmental Management Programme (EMPr) submitted as part of the application for EA is hereby approved. This EMPr must be implemented and strictly adhered to.

Frequency and process of updating the EMPr

13. The EMPr must be updated where the findings of the environmental audit reports, contemplated in Condition 23 below, indicate insufficient mitigation of environmental impacts associated with the undertaking of the activity, or insufficient levels of compliance with the environmental authorisation or EMPr.
14. The updated EMPr must contain recommendations to rectify the shortcomings identified in the environmental audit report.
15. The updated EMPr must be submitted to the Department for approval together with the environmental audit report, as per Regulation 34 of GN R. 982. The updated EMPr must have been subjected to a public participation process, which process has been agreed to by the Department, prior to submission of the updated EMPr to the Department for approval.
16. In assessing whether to grant approval of an EMPr which has been updated as a result of an audit, the Department will consider the processes prescribed in Regulation 35 of GN R.982. Prior to approving an amended EMPr, the Department may request such amendments to the EMPr as it deems appropriate to ensure that the EMPr sufficiently provides for avoidance, management and mitigation of environmental impacts associated with the undertaking of the activity.
17. The holder of the authorisation may apply for an amendment of an EMPr, if such amendment is required before an audit is required. The holder must notify the Department of its intention to amend the EMPr at least 60 days prior to submitting such amendments to the EMPr to the Department for

approval. In assessing whether to grant such approval or not, the Department will consider the processes and requirements prescribed in Regulation 37 of GN R. 982.

Monitoring

18. The holder of the authorisation must appoint an experienced independent Environmental Control Officer (ECO) for the construction phase of the development that will have the responsibility to ensure that the mitigation/rehabilitation measures and recommendations referred to in this environmental authorisation are implemented and to ensure compliance with the provisions of the approved EMPr.
- 18.1. The ECO must be appointed before commencement of any authorised activities.
- 18.2. Once appointed, the name and contact details of the ECO must be submitted to the *Director: Compliance Monitoring* of the Department at Directorcompliance@environment.gov.za.
- 18.3. The ECO must keep record of all activities on site, problems identified, transgressions noted and a task schedule of tasks undertaken by the ECO.
- 18.4. The ECO must remain employed until all rehabilitation measures, as required for implementation due to construction damage, are completed and the site is ready for operation.

Recording and reporting to the Department

19. All documentation e.g. audit/monitoring/compliance reports and notifications, required to be submitted to the Department in terms of this environmental authorisation, must be submitted to the *Director: Compliance Monitoring* of the Department at Directorcompliance@environment.gov.za.
20. The holder of the environmental authorisation must, for the period during which the environmental authorisation and EMPr remain valid, ensure that project compliance with the conditions of the environmental authorisation and the EMPr are audited, and that the audit reports are submitted to the *Director: Compliance Monitoring* of the Department at Directorcompliance@environment.gov.za.
21. The frequency of auditing and of submission of the environmental audit reports must be as per the frequency indicated in the EMPr, taking into account the processes for such auditing as prescribed in Regulation 34 of GN R. 982.
22. The holder of the authorisation must, in addition, submit an environmental audit reports to the Department within 30 days of completion of the construction phase (i.e. within 30 days of site handover) and a final environmental audit report within 30 days of completion of rehabilitation activities.

23. The environmental audit reports must be compiled in accordance with Appendix 7 of the EIA Regulations, 2014 and must indicate the date of the audit, the name of the auditor and the outcome of the audit in terms of compliance with the environmental authorisation conditions as well as the requirements of the approved EMPr.
24. Records relating to monitoring and auditing must be kept on site and made available for inspection to any relevant and competent authority in respect of this development.

Notification to authorities

25. A written notification of commencement must be given to the Department no later than fourteen (14) days prior to the commencement of the activity. Commencement for the purposes of this condition includes site preparation. The notice must include a date on which it is anticipated that the activity will commence, as well as a reference number.

Operation of the activity

26. A written notification of operation must be given to the Department no later than fourteen (14) days prior to the commencement of the activity operational phase.

Site closure and decommissioning

27. Should the activity ever cease or become redundant, the holder of the authorisation must undertake the required actions as prescribed by legislation at the time and comply with all relevant legal requirements administered by any relevant and competent authority at that time.

Specific conditions

28. If any paleontological material is exposed during digging, excavating, drilling or blasting, SAHRA must be notified. All construction activities must be stopped and a palaeontologist must be called in to determine proper mitigation measures.
29. An integrated waste management approach must be implemented that is based on waste minimisation and must incorporate reduction, recycling, re-use and disposal.
30. Any solid waste must be disposed of at a landfill licensed in terms of section 20 (b) of the National Environment Management Waste Act, 2008 (Act No.59 of 2008).

General

31. A copy of this environmental authorisation, the audit and compliance monitoring reports, and the approved EMPr, must be made available for inspection and copying-
- 31.1. at the site of the authorised activity;
 - 31.2. to anyone on request; and
 - 31.3. where the holder of the environmental authorisation has a website, on such publicly accessible website.
32. National government, provincial government, local authorities or committees appointed in terms of the conditions of this authorisation or any other public authority shall not be held responsible for any damages or losses suffered by the holder of the authorisation or his/her successor in title in any instance where construction or operation subsequent to construction be temporarily or permanently stopped for reasons of non-compliance by the holder of the authorisation with the conditions of authorisation as set out in this document or any other subsequent document emanating from these conditions of authorisation.

Date of environmental authorisation: 14/02/2018



Mr Sabelo Malaza

Chief Director: Integrated Environmental Authorisations
Department of Environmental Affairs

M.S

Annexure 1: Reasons for Decision

1. Information considered in making the decision

In reaching its decision, the Department took, *inter alia*, the following into consideration -

- a) The information contained in the BAR dated 07 May 2018;
- b) The comments received from interested and affected parties as included in the BAR dated 07 May 2018;
- c) Mitigation measures as proposed in the BAR dated 07 May 2018 and the EMPr;
- d) The information contained in the specialist studies contained within Appendix D of the BAR; and
- e) The objectives and requirements of relevant legislation, policies and guidelines, including section 2 of the National Environmental Management Act, 1998 (Act No.107 of 1998).

2. Key factors considered in making the decision

All information presented to the Department was taken into account in the Department's consideration of the application. A summary of the issues which, in the Department's view, were of the most significance is set out below.

- a) The findings of all the specialist studies conducted and their recommended mitigation measures.
- b) The need for the proposed development was well explained in the FBAR dated 07 May 2018.
- c) The BAR dated 07 May 2018 identified all legislation and guidelines that have been considered in the preparation of the BAR dated 07 May 2018.
- d) The methodology used in assessing the potential impacts identified in the BAR dated 07 May 2018 and the specialist studies have been adequately indicated.
- e) A sufficient public participation process was undertaken and the applicant has satisfied the minimum requirements as prescribed in the EIA Regulations, 2014 for public involvement.

3. Findings

After consideration of the information and factors listed above, the Department made the following findings -

- a) The identification and assessment of impacts are detailed in the BAR dated 07 May 2018 and sufficient assessment of the key identified issues and impacts have been completed.
- b) The procedure followed for impact assessment is adequate for the decision-making process.
- c) The proposed mitigation of impacts identified and assessed adequately curtails the identified impacts.
- d) The information contained in the BAR dated 07 May 2018 is accurate and credible.
- e) EMPr measures for the pre-construction, construction and rehabilitation phases of the development were proposed and included in the BAR and will be implemented to manage the identified environmental impacts during the construction phase.

In view of the above, the Department is satisfied that, subject to compliance with the conditions contained in the environmental authorisation, the authorised activities will not conflict with the general objectives of integrated environmental management laid down in Chapter 5 of the National Environmental Management Act, 1998 and that any potentially detrimental environmental impacts resulting from the authorised activities can be mitigated to acceptable levels. The environmental authorisation is accordingly granted.